

Acute Conjunctivitis

Rapidly diagnose acute conjunctivitis

Acute conjunctivitis affects nearly 6.9 million Americans each year, with 1 in 4 testing positive for the Adenovirus.¹ Approximately 50% of cases are misdiagnosed which could result in significant morbidity in patients.²

AdenoPlus is the first rapid, CLIA-waived point-of-care test that detects all known serotypes of Adenoviral conjunctivitis. An early and accurate diagnosis with AdenoPlus may prevent serious complications in the future and with AdenoPlus you can make a rapid, accurate diagnosis before the patient leaves your office.

Clinical benefits

- Identify, isolate and manage contagious patients, preventing spread to other patients and staff.
- Reduce levels of inappropriate antibiotic use.
- Reduce costs associated with acute conjunctivitis by 40%.

Fast and accurate

- Results in 10 minutes.
- 90% sensitivity and 96% specificity.

Easy and convenient

- Disposable test, requires just 4 easy steps.
- No additional equipment is needed to administer or interpret.



4-Step Procedure



Performance Characteristics



Refer to the Package Insert for additional performance claims.

To order, contact your Quidel Account Manager, call Customer Service at 800.874.1517, or visit quidel.com/AdenoPlus

¹Thomson Reuters Medstat Marketscan Data, 2005. ²O'Brien T.P., Jeng B.H., McDonald M. et al. Acute conjunctivitis: truth and misconceptions. Curr Med Res Opin. 2009 Aug; 25(8): 1953-61.

SL2502 | SS1025100EN01 (09/17)

